HIV/AIDS and Sexually Transmitted Infections



2014-15 Tanzania Service Provision Assessment (TSPA)

Background of HIV/AIDS

- Availability of Services
- HIV Testing and Counselling Services
- HIV Care and Support Services
- Antiretroviral Therapy
- STI Services




© 2004 Kirsten Eisinga, Courtesy of Photoshare

Trends in HIV Testing (2011-12 THMIS)

Percent of women and men age 15-49 who have ever been tested for HIV in the last 12 months and received the results

■ 2007-08 THMIS ■ 2010 TDHS ■ 2011-12 THMIS





HIV Testing During Pregnancy (2011-12 THMIS)

Among women who gave birth in the two years before the survey, 52% were counselled and tested for HIV during antenatal care and received the results.


HIV Prevalence by Residence

Percent HIV-positive, women and men age 15-49





HIV Prevalence by Region (2011-12 THMIS)




- Background of HIV/AIDS
- Availability of Services
- HIV Testing and Counselling Services
- HIV Care and Support Services
- Antiretroviral Therapy
- STI Services



© 2004 Kirsten Eisinga, Courtesy of Photoshare

Availability of HIV Services by Facility Type

Among all facilities (N=1,188), percent that offer specific HIV services




- Background of HIV/AIDS
- Availability of Services
- HIV Testing and Counselling Services
- HIV Care and Support Services
- Antiretroviral Therapy
- STI Services



© 2004 Kirsten Eisinga, Courtesy of Photoshare


Availability of HIV Testing Services by Facility Type

Among all facilities (N=1,188), percent that have an HIV testing system




Availability of HIV Testing Services by Managing Authority

Among all facilities (N=1,188), percent that have an HIV testing system




HIV Testing Integration into Facilities

Among all facilities (N=1,188), percent with HIV rapid diagnosis testing (RDT) integrated within specific services



Guidelines and Equipment for HIV Testing

Percent of facilities having HIV testing systems (N=964) with:



Infection Control


Percent of facilities with HIV testing capacity (N=964)



Training and Supervision for Providers of HIV Testing Services

Percent of interviewed providers for HIV testing services (N=4,915) that received:

- In-service training related to HIV testing and counselling during past 24 months
- Personal supervision during past 6 months




- Background of HIV/AIDS
- Availability of Services
- HIV Testing and Counselling Services
- HIV Care and Support Services
- Antiretroviral Therapy
- STI Services



© 2004 Kirsten Eisinga, Courtesy of Photoshare


Availability of HIV/AIDS Care and Support Services by Facility Type

Among all facilities (N=1,188), percent offering HIV/AIDS care and support services




Availability of HIV/AIDS Care and Support Services by Managing Authority

Among all facilities (N=1,188), percent offering HIV/AIDS care and support services




Guidelines and Equipment for HIV/AIDS Care and Support Services

Percent of facilities offering HIV/AIDS care and support services (N=410) with:




Availability of Medicines for Routine HIV/AIDS Care and Support Services

Percent of facilities offering HIV/AIDS care and support services (N=410) that have medicines observed to be available on the day of the survey




HIV Care and Support Services Offered

Among facilities offering care and support services for HIV clients (N=410), percent that offer specific services



HIV Care and Support Services Offered (Continued)

Among facilities offering care and support services for HIV clients (N=410), percent that offer specific services




- Background of HIV/AIDS
- Availability of Services
- HIV Testing and Counselling Services
- HIV Care and Support Services
- Antiretroviral Therapy
- STI Services



© 2004 Kirsten Eisinga, Courtesy of Photoshare


Availability of Antiretroviral Therapy (ART) Services by Facility Type

Among all facilities (N=1,188), percent offering ART services




Availability of Antiretroviral Therapy (ART) Services by Managing Authority

Among all facilities (N=1,188), percent offering ART services




Guidelines and Equipment for HIV ART Services

Percent of facilities offering HIV ART (N=333) with:



Diagnostic Capacity for ART Services

Percent of facilities offering HIV ART (N=333) that have the capacity to conduct the indicated tests in the facility




- Background of HIV/AIDS
- Availability of Services
- Service Readiness
- Management Practices and Training
- Care and Support
 Services for People
 Living with HIV/AIDS
- Antiretroviral Therapy
- STI Services



© 2004 Kirsten Eisinga, Courtesy of Photoshare


Availability of Sexually Transmitted Infection (STI) Services by Facility Type

Among all facilities (N=1,188), percent offering STI services




Availability of STI Services by Managing Authority

Among all facilities (N=1,188), percent offering STI services




Guidelines and Equipment for STI Services

Percent of facilities offering STI services (N=1,155) with:



Availability of Medicines and Commodities for STI Services

Percent of facilities offering STI services (N=1,155) that have medicines and commodities observed to be available on the day of the survey



Key Findings

- 81% of facilities offer HIV testing services
- Many health services have integrated HIV RDT; availability of HIV RDT integration is highest in facilities offering ANC services (83%)
- 35% of facilities offer HIV/AIDS care and support services
- Most facilities offering HIV/AIDS care and support services offer prevention and treatment services for opportunistic diseases
- 28% of facilities offer antiretroviral therapy (ART) services
- 97% of facilities offer STI services
- 32% of facilities offering STI services had syphilis rapid test kits available