Malaria



2014-15 Tanzania Service Provision Assessment (TSPA)


- Background on Malaria in Tanzania
- Availability of Services
- Service Readiness
- Malaria Services for Sick Children



© 2007 Bonnie Gillespie, Courtesy of Photoshare

Trends in ITN Ownership by Residence

Percent of households with at least one ITN




Mainland Total

Mainland Urban

Mainland Rural

Zanzibar


ITN Ownership by Region (2011-12 THMIS)



Trends in Use of ITNs

Percent who slept under an ITN the night before the survey


■ TDHS 2004-05 ■ THMIS 2007-08 ■ TDHS 2010 ■ THMIS 2011-12



Trends in Intermittent Preventive Treatment during Pregnancy

■ 2004-05 THDS ■ 2007-08 THMIS ■ 2010 TDHS ■ 2011-12 THMIS Percent of women age 15-49 with a live birth

in the two years before the survey, who:




Any SP/Fansidar during ANC visit

2+ doses of SP/Fansidar and received at least one during ANC visit

Fever in Children by Mother's Level of Education (2011-12 тнміз)


Among children under age five with fever in the two weeks before the survey, percent who

No education Primary incomplete Primary complete Secondary +




Type of Antimalarial Drug taken by Children (2011-12 THMIS)

Among children under age 5 with fever in the 2 weeks before the survey who took an antimalarial, type of antimalarial drug taken




Prevalence of Malaria by Residence and Wealth (2011-12 THMIS)

Percent children age 6-59 months testing positive for malaria by RDT



Malaria Prevalence by Region




- Background on Malaria in Tanzania
- Availability of Services
- Service Readiness
- Malaria Services for Sick Children



© 2007 Bonnie Gillespie, Courtesy of Photoshare

Availability of Malaria Services by Facility Type


Among all facilities (N=1,188), percent offering malaria diagnosis and/or treatment services



Hospital Health centre Dispensary Clinic Total

Availability of Malaria Services by Managing Authority

Among all facilities (N=1,188), percent offering malaria diagnosis and/or treatment services



Government

Private-for-profit

Parastatal

Faith-based


- Background on Malaria in Tanzania
- Availability of Services
- Service Readiness
- Malaria Services for Sick Children



© 2007 Bonnie Gillespie, Courtesy of Photoshare


Guidelines and Trained Staff for Malaria Services

Percent of facilities offering malaria diagnosis and/or treatment services (N=1,177)



Diagnostic Capacity for Malaria by Facility Type

Percent of facilities offering malaria diagnosis and/or treatment services (N=1,177) that have the capacity to conduct the indicated tests in the facility



Malaria RDT


Malaria microscopy

Any malaria diagnostics

Diagnostic Capacity for Malaria by Managing Authority

Percent of facilities offering malaria diagnosis and/or treatment services (N=1,177) that have the capacity to conduct the indicated tests in the facility

Government Private-for-profit Parastatal Faith-based




Malaria RDT

Malaria microscopy

Any malaria diagnostics

Availability of Antimalarial Medicines and Commodities

Among facilities offering malaria diagnosis and/or treatment (N=1,177), percent that have essential medicines observed on the day of the survey




- Background on Malaria in Tanzania
- Availability of Services
- Service Readiness
- Malaria Services for Sick Children



© 2007 Bonnie Gillespie, Courtesy of Photoshare

Diagnostic Capacity in Facilities Offering Curative Care for Sick Children

Percent of facilities offering curative care for sick children (N=1,160) that have the capacity to test for malaria




Total

Hospital Health centre Dispensary Clinic


Trained Staff and Protocols for Malaria in Facilities for Sick Children

Percent of facilities offering curative care for sick children (N=1,160) that have:



Malaria Service Readiness Index by Facility Type

Percent of facilities offering curative care for sick children (N=1,160) that have malaria diagnostic capacity, malaria treatment guidelines, 1st line medicine, and trained personnel:



Hospital Health centre Dispensary Clinic



Malaria Service Readiness Index by Managing Authority


Percent of facilities offering curative care for sick children (N=1,160) that have malaria diagnostic capacity, malaria treatment guidelines, 1st line medicine, and trained personnel:



Treatment of Malaria in Children

Among sick children whose consultations were observed, percent diagnosed and treated with ACT

Diagnosed ACT was prescribed or provided



Key Findings

- Almost all (99%) of facilities offer malaria diagnosis and/or treatment
- 81% of facilities can test for malaria by RDT; less
 (18%) can test for malaria by microscopy
- 90% of facilities have first-line ACT antimalarial available
- 24% of facilities that treat sick children can be considered fully ready to treat malaria
- Of children diagnosed with malaria, 32% received ACT

