

Table C.1 Household age distribution

Single-year age distribution of the de facto household population by sex (weighted), Tanzania 1999

Age	Males		Females		Age	Males		Females	
	Number	Percent	Number	Percent		Number	Percent	Number	Percent
0	320	3.8	353	3.8	37	74	0.9	82	0.9
1	334	4.0	261	2.8	38	80	1.0	88	1.0
2	302	3.6	288	3.1	39	92	1.1	69	0.7
3	264	3.2	296	3.2	40	81	1.0	97	1.1
4	291	3.5	298	3.2	41	40	0.5	58	0.6
5	275	3.3	286	3.1	42	45	0.5	57	0.6
6	324	3.9	251	2.7	43	31	0.4	42	0.5
7	284	3.4	296	3.2	44	33	0.4	33	0.4
8	297	3.5	286	3.1	45	78	0.9	78	0.8
9	266	3.2	285	3.1	46	34	0.4	50	0.5
10	255	3.1	244	2.6	47	61	0.7	72	0.8
11	210	2.5	239	2.6	48	39	0.5	58	0.6
12	277	3.3	256	2.8	49	55	0.7	51	0.6
13	269	3.2	250	2.7	50	68	0.8	43	0.5
14	186	2.2	197	2.1	51	39	0.5	51	0.6
15	199	2.4	212	2.3	52	33	0.4	96	1.0
16	172	2.1	213	2.3	53	42	0.5	61	0.7
17	150	1.8	197	2.1	54	34	0.4	51	0.6
18	126	1.5	147	1.6	55	37	0.4	73	0.8
19	171	2.0	163	1.8	56	29	0.3	61	0.7
20	167	2.0	188	2.0	57	40	0.5	26	0.3
21	92	1.1	155	1.7	58	37	0.4	43	0.5
22	99	1.2	186	2.0	59	24	0.3	15	0.2
23	118	1.4	153	1.7	60	32	0.4	92	1.0
24	96	1.1	156	1.7	61	20	0.2	29	0.3
25	143	1.7	188	2.0	62	57	0.7	49	0.5
26	99	1.2	149	1.6	63	25	0.3	28	0.3
27	108	1.3	148	1.6	64	27	0.3	13	0.1
28	87	1.0	131	1.4	65	56	0.7	61	0.7
29	119	1.4	133	1.4	66	35	0.4	17	0.2
30	105	1.2	146	1.6	67	32	0.4	14	0.2
31	79	0.9	104	1.1	68	35	0.4	33	0.4
32	66	0.8	79	0.9	69	26	0.3	19	0.2
33	69	0.8	94	1.0	70+	214	2.6	187	2.0
34	67	0.8	89	1.0	Don't know, missing	1	0.0	1	0.0
35	122	1.5	143	1.5					
36	75	0.9	86	0.9					
					Total	8,366	100.0	9,242	100.0

Table C.2 Age distribution of eligible and interviewed women

Percent distribution of the de facto household population of women age 10-54, and of interviewed women age 15-49, and of interviewed women age 15-49, and percentage of eligible women who were interviewed (weighted) by five-year groups, Tanzania 1999

	Household population of women age 10-54		Interviewed women age 15-49		Percentage of eligible women interviewed (weighted)
	Number	Percent	Number	Percent	
10-14	1,185	NA	NA	NA	NA
15-19	931	22.7	906	22.6	97.3
20-24	838	20.5	817	20.3	97.5
25-29	749	18.3	740	18.4	98.9
30-34	511	12.5	504	12.5	98.5
25-39	468	11.4	463	11.5	98.9
40-44	287	7.0	283	7.0	98.5
45-49	310	7.6	302	7.5	97.7
50-54	302	NA	NA	NA	NA
15-49	4,095	NA	4,017	NA	98.1

Note: The de facto population includes all residents and nonresidents who slept in the household the night before the interview.

NA = Not applicable

Table C.3 Completeness of reporting

Percentage of observations missing information for selected demographic and health questions, Tanzania 1999

Subject	Reference group	Percentage missing information	Number of cases
Birth Date	Births in past 15 years		
Month only		2.94	8,372
Month and year		0.00	8,372
Age at death	Deaths to births in past 15 years	0.00	1,281
Age at/date of first union ¹	Ever-married women	0.34	3,086
Respondent's education	All women	0.00	4,029
Height or weight missing	Children under 5 in household	2.2	2,990
Diarrhoea in last 2 weeks	Living children 0-59 months	4.85	2,898

¹ Both year and age missing

C.4 Births by calendar years

Distribution of births by calendar years for living (L), dead (D), and all (T) children, according to reporting completeness, sex ratio at birth, and ratio of births by calendar year, Tanzania 1999

Year	Number of births			Percentage with complete birth date			Sex ratio at birth			Calendar ratio			Male			Female		
	Number of births			Percentage with complete birth date			Sex ratio at birth			Calendar ratio			Male			Female		
	(L)	(D)	(T)	(L)	(D)	(T)	(L)	(D)	(T)	(L)	(D)	(T)	(L)	(D)	(T)	(L)	(D)	(T)
99	539	42	581	99.8	100.0	99.8	95.0	134.0	97.4	NA	NA	NA	263	24	287	276	18	295
98	578	79	657	100.0	98.8	99.9	119.5	69.6	112.0	99.9	131.2	102.8	314	33	347	263	47	310
97	617	79	696	99.9	94.1	99.2	101.5	116.4	103.0	110.5	101.2	109.4	311	42	353	306	36	343
96	540	76	616	99.6	95.9	99.2	88.1	192.8	96.9	94.0	87.1	93.1	253	50	303	287	26	313
95	530	97	627	98.6	97.5	98.5	112.0	136.5	115.4	102.4	114.2	104.0	280	56	336	250	41	291
94	497	93	589	97.7	92.7	96.9	87.2	124.9	92.2	94.7	94.2	94.6	231	52	283	265	41	307
93	518	100	618	97.7	95.3	97.3	128.5	152.4	132.1	101.8	105.4	102.3	291	61	352	227	40	266
92	522	98	619	96.9	96.4	96.9	104.2	123.1	107.0	104.6	100.8	104.0	266	54	320	255	44	299
91	479	94	573	97.6	92.3	96.7	101.8	107.5	102.7	101.8	91.1	99.9	242	49	290	237	45	283
90	419	108	527	95.7	92.2	95.0	92.9	120.3	98.0	NA	NA	NA	202	59	261	217	49	266
85-89	2,804	374	3,178	99.6	97.0	99.3	102.7	122.0	104.8	NA	NA	NA	1,421	205	1,626	1,383	168	1,551
80-84	2,434	493	2,927	97.2	93.8	96.6	102.5	124.9	106.0	NA	NA	NA	1,232	274	1,506	1,202	219	1,421
75-79	1,806	404	2,209	95.9	88.3	94.5	98.3	102.8	99.1	NA	NA	NA	895	205	1,100	910	199	1,110
70-74	1,277	317	1,594	94.8	89.3	93.7	81.6	99.7	85.0	NA	NA	NA	574	158	732	703	159	862
< 70	1,387	491	1,878	91.4	90.1	91.0	100.6	111.1	103.2	NA	NA	NA	696	258	954	692	233	924
All	9,709	2,078	11,786	96.5	91.7	95.7	98.5	112.5	100.9	NA	NA	NA	4,818	1,100	5,918	4,891	978	5,868

NA = Not applicable

¹ Both year and month of birth given

² $(B_m/B_f)*100$, where B_m and B_f are the numbers of male and female births, respectively

³ $[2B_x/(B_{x-1}+B_{x+1})*100]$, where B_x is the number of births in calendar year x

Table C.5 Reporting of age at death in days

Distribution of reported deaths under 1 month of age by age at death in days and the percentage of neonatal deaths reported to occur at ages 0-6 days, for five-year periods preceding the survey, Tanzania 1999

Age at death (in days)	Number of years preceding survey				Total 0-19
	0-4	5-9	10-14	15-19	
<1	39	51	14	14	118
1	26	21	6	24	77
2	10	14	3	4	31
3	11	8	1	3	24
4	1	3	0	1	6
5	1	2	2	2	8
6	1	5	6	1	13
7	13	19	9	10	51
8	0	1	5	1	7
9	2	0	2	2	6
10	0	1	1	0	1
12	0	2	1	0	3
13	2	0	0	0	2
14	12	9	9	3	33
16	0	1	0	0	1
17	0	0	1	0	1
19	0	1	0	0	1
20	2	0	0	0	2
21	8	6	2	2	18
22	0	1	0	0	1
23	0	0	1	0	1
26	1	0	0	0	1
28	0	4	1	3	8
29	0	1	1	0	2
30	6	11	5	1	24
31+	0	1	0	0	1
Total 0-30	137	161	70	72	440
Percent early neonatal [†]	65.3	65.1	47.9	68.3	62.9

[†] (0-6 days/0-3 days) * 100

Table C.6 Reporting of age at death in months

Distribution of reported deaths under 2 years of age by age at death in months and the percentage of infant deaths reported to occur at ages under one month, for five-year periods preceding the survey, Tanzania 1999

Age at deaths (in months)	Number of years preceding the survey				Total 0-19
	0-4	5-9	10-14	15-19	
<1 ^a	137	161	70	72	440
1	14	13	13	11	51
2	25	26	15	12	78
3	11	24	29	12	76
4	17	18	8	12	55
5	14	21	14	8	57
6	26	32	32	15	105
7	8	22	13	8	52
8	15	12	10	10	46
9	17	12	20	10	58
10	7	2	4	3	16
11	8	6	5	5	24
12	16	36	27	25	105
13	8	4	0	2	14
14	5	4	5	1	15
15	2	4	3	6	15
16	4	3	3	0	10
17	1	2	0	2	6
18	4	7	7	5	24
19	5	1	5	0	11
20	0	1	0	2	3
21	1	0	1	2	4
22	1	1	1	1	4
23	1	1	0	0	2
1 year	0	4	2	1	7
Percent neonatal ^b	45.8	46.4	30.1	40.5	41.7
Total 0-11	299	348	232	178	1,057

^a Includes deaths under 1 month reported in days.

^b Under 1 month/under 1 year